

SEQUENCE LISTING

<110> KANEKA CORPORATION
 <120> TRANSGENIC BIRD AND METHOD OF CONSTRUCTING THE SAME
 <130> Q95455
 <140> US 10/585,693
 <141> 2006-07-10
 <150> PCT/JP2004/016438
 <151> 2004-11-05
 <150> JP 2004-003045
 <151> 2004-01-08
 <160> 18
 <170> PatentIn version 3.3
 <210> 1
 <211> 28
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Designed sequence of a 5'-primer incorporating the Sal I
 recognition site at the 5' terminal used for PCR amplification of
 the chicken b-actin promoter fragment lacking the intron
 <400> 1
 acgcgtcgac gtgcatgcac gctcattg 28
 <210> 2
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Designed sequence of a 3'-primer incorporating the Sal I
 recognition site at the 5' terminal used for PCR amplification of
 the chicken b-actin promoter fragment lacking the intron
 <400> 2
 acgcgtcgac aacgcagcga ctcccg 26
 <210> 3
 <211> 61
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Designed oligonucleotide acting as a sense chain in annealing to
 construct the coding fragment of the chicken lysozyme secretion
 signal
 <400> 3
 ctagaccatg aggtctttgc taatcttggg gctttgcttc ctgcccctgg ctgctctggg 60

g 61

<210> 4
 <211> 57
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Designed oligonucleotide acting as an anti-sense chain in annealing to construct the coding fragment of the chicken lysozyme secretion signal

<400> 4
 cccagagca gccaggggca ggaagcaaag caccaagatt agcaaagacc tcatggt 57

<210> 5
 <211> 26
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Designed sequence of a 5'-primer incorporating the Dra I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment

<400> 5
 gcgtttaaag tgacgttgga cgtccg 26

<210> 6
 <211> 29
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Designed sequence of a 3'-primer incorporating the BamH I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment

<400> 6
 attaggatcc gcgcttaagg acggtcagg 29

<210> 7
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Designed sequence of a 5'-primer used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 constant region

<400> 7
 caagcttcaa gggcccat 18

<210> 8
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Designed sequence of a 3'-primer used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 constant region

<400> 8
atttaccgag agacaggga 19

<210> 9
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer incorporating the BamHI recognition site at the 5' terminal used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 Fc region

<400> 9
attagatcc gagcccaaatt cttgtgacaa aactc 35

<210> 10
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer incorporating the Hind III recognition site at the 5' terminal used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 Fc region

<400> 10
agcaagcttt catttaccgag gagacaggga 30

<210> 11
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a 393bp fragment in the gene of scFv

<400> 11
gtcttattag cgggtgctggt agtagcacia 30

<210> 12
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a 393bp fragment in the gene of scFv

<400> 12
gagacttctg ctggtaccag ccata 25

<210> 13

<211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Designed sequence of a 5'-primer used for PCR amplification of a 311bp fragment in the gene of GFP

 <400> 13
 agctcaccct gaaattcatc tgcaccactg 30

 <210> 14
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Designed sequence of a 3'-primer used for PCR amplification of a 311 bp fragment in the gene of GFP

 <400> 14
 gttgtattcc agcttgtggc cgagaatggt 30

 <210> 15
 <211> 27
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Designed sequence of a 5'-primer used for PCR amplification of a 355bp fragment in the gene of GFP

 <400> 15
 caacactggc cactaccttc acctatg 27

 <210> 16
 <211> 25
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Designed sequence of a 3'-primer used for PCR amplification of a 355bp fragment in the gene of GFP

 <400> 16
 acggatccat cctcaatggt gtgtc 25

 <210> 17
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Designed sequence of a 5'-primer used for PCR amplification of a 317bp fragment in the gene of ovalbumin

 <400> 17
 cgctttgata aacttccagg attcgg 26

 <210> 18

<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Designed sequence of a 3'-primer used for PCR amplification of a
317bp fragment in the gene of ovalbumin

<400> 18

catctagctg tcttgcttaa gcgtaca

27